

Solving Exponential Equations - Example 3

Solving Exponential Equations - Example 3

Example: Find solutions to the equation:

$$2^{(x+3)} = 4^x$$

Solving Exponential Equations - Example 3

Example: Find solutions to the equation:

$$2^{(x+3)} = 4^x$$

▶ We saw

that Exponential Functions are

▶ one-to-one

Solving Exponential Equations - Example 3

Example: Find solutions to the equation:

$$2^{(x+3)} = 4^x$$

▶ We saw that Exponential Functions are ▶ one-to-one

Which means that, if $c^a = c^b$ then $a = b$ because two different exponents cannot output the same value

Solving Exponential Equations - Example 3

Example: Find solutions to the equation:

$$2^{(x+3)} = 4^x$$

▶ We saw that Exponential Functions are ▶ one-to-one

Which means that, if $c^a = c^b$ then $a = b$ because two different exponents cannot output the same value

To use this we need to have the same **base** on both sides.

Solving Exponential Equations - Example 3

Example: Find solutions to the equation:

$$2^{(x+3)} = 4^x$$

▶ We saw that Exponential Functions are ▶ one-to-one

Which means that, if $c^a = c^b$ then $a = b$ because two different exponents cannot output the same value

To use this we need to have the same **base** on both sides.

But we don't have the same base on both sides!

Solving Exponential Equations - Example 3

Example: Find solutions to the equation:

$$2^{(x+3)} = 4^x$$

▶ We saw that Exponential Functions are ▶ one-to-one

Which means that, if $c^a = c^b$ then $a = b$ because two different exponents cannot output the same value

To use this we need to have the same **base** on both sides.

But we don't have the same base on both sides!

We have **base** 2 on left and 4 on the right

Solving Exponential Equations - Example 3

Example: Find solutions to the equation:

$$2^{(x+3)} = 4^x$$

▶ We saw that Exponential Functions are ▶ one-to-one

Which means that, if $c^a = c^b$ then $a = b$ because two different exponents cannot output the same value

To use this we need to have the same **base** on both sides.

But we don't have the same base on both sides!

We have **base** 2 on left and 4 on the right

Can we get the same base on both sides?

Solving Exponential Equations - Example 3

Example: Find solutions to the equation:

$$2^{(x+3)} = 4^x$$

▶ We saw that Exponential Functions are ▶ one-to-one

Which means that, if $c^a = c^b$ then $a = b$ because two different exponents cannot output the same value

To use this we need to have the same **base** on both sides.

But we don't have the same base on both sides!

We have **base** 2 on left and 4 on the right

Can we get the same base on both sides?

Notice, we can write $4 = 2^2$

Solving Exponential Equations - Example 3

Example: Find solutions to the equation:

$$2^{(x+3)} = 4^x$$

▶ We saw that Exponential Functions are ▶ one-to-one

Which means that, if $c^a = c^b$ then $a = b$ because two different exponents cannot output the same value

To use this we need to have the same **base** on both sides.

But we don't have the same base on both sides!

We have **base** 2 on left and 4 on the right

Can we get the same base on both sides?

Notice, we can write $4 = 2^2$

Which means we can write the right hand side as: $4^x = (2^2)^x$

Solving Exponential Equations - Example 3

Example: Find solutions to the equation:

$$2^{(x+3)} = 4^x$$

▶ We saw that Exponential Functions are ▶ one-to-one

Which means that, if $c^a = c^b$ then $a = b$ because two different exponents cannot output the same value

To use this we need to have the same **base** on both sides.

But we don't have the same base on both sides!

We have **base** 2 on left and 4 on the right

Can we get the same base on both sides?

Notice, we can write $4 = 2^2$

Which means we can write the right hand side as: $4^x = (2^2)^x$

▶ Our Power Rule for compound exponents allows us to reduce this as: 2^{2x}

Solving Exponential Equations - Example 3

Example: Find solutions to the equation:

$$2^{(x+3)} = 4^x$$

▶ We saw that Exponential Functions are ▶ one-to-one

Which means that, if $c^a = c^b$ then $a = b$ because two different exponents cannot output the same value

To use this we need to have the same **base** on both sides.

But we don't have the same base on both sides!

We have **base 2** on left and 4 on the right

Can we get the same base on both sides?

Notice, we can write $4 = 2^2$

Which means we can write the right hand side as: $4^x = (2^2)^x$

▶ Our Power Rule for compound exponents allows us to reduce this as: 2^{2x}

Now we can write our eq with the same **base = 2** on both sides as:

Solving Exponential Equations - Example 3

Example: Find solutions to the equation:

$$2^{(x+3)} = 4^x$$

▶ We saw that Exponential Functions are ▶ one-to-one

Which means that, if $c^a = c^b$ then $a = b$ because two different exponents cannot output the same value

To use this we need to have the same **base** on both sides.

But we don't have the same base on both sides!

We have **base 2** on left and 4 on the right

Can we get the same base on both sides?

Notice, we can write $4 = 2^2$

Which means we can write the right hand side as: $4^x = (2^2)^x$

▶ Our Power Rule for compound exponents allows us to reduce this as: 2^{2x}

Now we can write our eq with the same **base = 2** on both sides as:

$$2^{(x+3)} = 4^x = 2^{2x}$$

Solving Exponential Equations - Example 3

Example: Find solutions to the equation:

$$2^{(x+3)} = 4^x$$

▶ We saw that Exponential Functions are ▶ one-to-one

Which means that, if $c^a = c^b$ then $a = b$ because two different exponents cannot output the same value

To use this we need to have the same **base** on both sides.

But we don't have the same base on both sides!

We have **base** 2 on left and 4 on the right

Can we get the same base on both sides?

Notice, we can write $4 = 2^2$

Which means we can write the right hand side as: $4^x = (2^2)^x$

▶ Our Power Rule for compound exponents allows us to reduce this as: 2^{2x}

Now we can write our eq with the same **base = 2** on both sides as:

$$2^{(x+3)} = 4^x = 2^{2x}$$

So, we get that the exponents must be the same:

$$x + 3 = 2x$$

Solving Exponential Equations - Example 3

Example: Find solutions to the equation:

$$2^{(x+3)} = 4^x$$

▶ We saw that Exponential Functions are ▶ one-to-one

Which means that, if $c^a = c^b$ then $a = b$ because two different exponents cannot output the same value

To use this we need to have the same **base** on both sides.

But we don't have the same base on both sides!

We have **base** 2 on left and 4 on the right

Can we get the same base on both sides?

Notice, we can write $4 = 2^2$

Which means we can write the right hand side as: $4^x = (2^2)^x$

▶ Our Power Rule for compound exponents allows us to reduce this as: 2^{2x}

Now we can write our eq with the same **base = 2** on both sides as:

$$2^{(x+3)} = 4^x = 2^{2x}$$

So, we get that the exponents must be the same:

$$x + 3 = 2x$$

Subtracting x from both sides we are left with: $x = 3$

Solving Exponential Equations - Example 3

Example: Find solutions to the equation:

$$2^{(x+3)} = 4^x$$

▶ We saw that Exponential Functions are ▶ one-to-one

Which means that, if $c^a = c^b$ then $a = b$ because two different exponents cannot output the same value

To use this we need to have the same **base** on both sides.

But we don't have the same base on both sides!

We have **base** 2 on left and 4 on the right

Can we get the same base on both sides?

Notice, we can write $4 = 2^2$

Which means we can write the right hand side as: $4^x = (2^2)^x$

▶ Our Power Rule for compound exponents allows us to reduce this as: 2^{2x}

Now we can write our eq with the same **base = 2** on both sides as:

$$2^{(x+3)} = 4^x = 2^{2x}$$

So, we get that the exponents must be the same:

$$x + 3 = 2x$$

Subtracting x from both sides we are left with: $x = 3$

Conclusion: The solution to $2^{(x+3)} = 4^x$ is $x = 3$