

Composition of Functions - Example 1 Revisited

For the functions $f(x) = x + 1$ and $g(x) = x^2$ ▶ We computed:

$$g \circ f(x) = x^2 + 2x + 1$$

Composition of Functions - Example 1 Revisited

For the functions $f(x) = x + 1$ and $g(x) = x^2$ ▶ We computed:

$$g \circ f(x) = x^2 + 2x + 1$$

Example: For the functions $f(x) = x + 1$ and $g(x) = x^2$ compute:

$$f \circ g(x)$$

Composition of Functions - Example 1 Revisited

For the functions $f(x) = x + 1$ and $g(x) = x^2$ ▶ We computed:

$$g \circ f(x) = x^2 + 2x + 1$$

Example: For the functions $f(x) = x + 1$ and $g(x) = x^2$ compute:

$$f \circ g(x)$$

▶ Recall: The composition of functions means:

$$f \circ g(x) = f(g(x))$$

Composition of Functions - Example 1 Revisited

For the functions $f(x) = x + 1$ and $g(x) = x^2$ ▶ We computed:

$$g \circ f(x) = x^2 + 2x + 1$$

Example: For the functions $f(x) = x + 1$ and $g(x) = x^2$ compute:

$$f \circ g(x)$$

▶ Recall: The composition of functions means:

$$f \circ g(x) = f(g(x))$$

To start, we can replace $g(x) = x^2$

Composition of Functions - Example 1 Revisited

For the functions $f(x) = x + 1$ and $g(x) = x^2$ ▶ We computed:

$$g \circ f(x) = x^2 + 2x + 1$$

Example: For the functions $f(x) = x + 1$ and $g(x) = x^2$ compute:

$$f \circ g(x)$$

▶ Recall: The composition of functions means:

$$f \circ g(x) = f(g(x)) = f(x^2)$$

To start, we can replace $g(x) = x^2$

Composition of Functions - Example 1 Revisited

For the functions $f(x) = x + 1$ and $g(x) = x^2$ ▶ We computed:

$$g \circ f(x) = x^2 + 2x + 1$$

Example: For the functions $f(x) = x + 1$ and $g(x) = x^2$ compute:

$$f \circ g(x)$$

▶ Recall: The composition of functions means:

$$f \circ g(x) = f(g(x)) = f(x^2)$$

To start, we can replace $g(x) = x^2$

The function f is a function that **adds 1** to its input

Composition of Functions - Example 1 Revisited

For the functions $f(x) = x + 1$ and $g(x) = x^2$ ▶ We computed:

$$g \circ f(x) = x^2 + 2x + 1$$

Example: For the functions $f(x) = x + 1$ and $g(x) = x^2$ compute:

$$f \circ g(x)$$

▶ Recall: The composition of functions means:

$$f \circ g(x) = f(g(x)) = f(x^2)$$

To start, we can replace $g(x) = x^2$

The function f is a function that **adds 1** to its input

The input of f here is $g(x) = x^2$

Composition of Functions - Example 1 Revisited

For the functions $f(x) = x + 1$ and $g(x) = x^2$ ▶ We computed:

$$g \circ f(x) = x^2 + 2x + 1$$

Example: For the functions $f(x) = x + 1$ and $g(x) = x^2$ compute:

$$f \circ g(x)$$

▶ Recall: The composition of functions means:

$$f \circ g(x) = f(g(x)) = f(x^2) = (x^2) + 1$$

To start, we can replace $g(x) = x^2$

The function f is a function that **adds 1** to its input

The input of f here is $g(x) = x^2$

So, f **Adds 1** to its input $g(x) = x^2$

Composition of Functions - Example 1 Revisited

For the functions $f(x) = x + 1$ and $g(x) = x^2$ ▶ We computed:

$$g \circ f(x) = x^2 + 2x + 1$$

Example: For the functions $f(x) = x + 1$ and $g(x) = x^2$ compute:

$$f \circ g(x)$$

▶ Recall: The composition of functions means:

$$f \circ g(x) = f(g(x)) = f(x^2) = (x)^2 + 1$$

To start, we can replace $g(x) = x^2$

The function f is a function that **adds 1** to its input

The input of f here is $g(x) = x^2$

So, f **Adds 1** to its input $g(x) = x^2$

Conclusion:

$$f \circ g(x) = (x)^2 + 1$$

Composition of Functions - Example 1 Revisited

For the functions $f(x) = x + 1$ and $g(x) = x^2$ ▶ We computed:

$$g \circ f(x) = x^2 + 2x + 1$$

Example: For the functions $f(x) = x + 1$ and $g(x) = x^2$ compute:

$$f \circ g(x)$$

▶ Recall: The composition of functions means:

$$f \circ g(x) = f(g(x)) = f(x^2) = (x)^2 + 1$$

To start, we can replace $g(x) = x^2$

The function f is a function that **adds 1** to its input

The input of f here is $g(x) = x^2$

So, f **Adds 1** to its input $g(x) = x^2$

Conclusion:

$$f \circ g(x) = (x)^2 + 1$$

Notice:

$$f \circ g(x) \neq g \circ f(x)$$

Composition of Functions - Example 1 Revisited

For the functions $f(x) = x + 1$ and $g(x) = x^2$ ▶ We computed:

$$g \circ f(x) = x^2 + 2x + 1$$

Example: For the functions $f(x) = x + 1$ and $g(x) = x^2$ compute:

$$f \circ g(x)$$

▶ Recall: The composition of functions means:

$$f \circ g(x) = f(g(x)) = f(x^2) = (x^2) + 1$$

To start, we can replace $g(x) = x^2$

The function f is a function that **adds 1** to its input

The input of f here is $g(x) = x^2$

So, f **Adds 1** to its input $g(x) = x^2$

Conclusion:

$$f \circ g(x) = (x^2) + 1$$

Notice:

$$f \circ g(x) \neq g \circ f(x)$$

In other words, the order in which we compute the composition matters!