

## Long Division of Polynomials - Example

## Long Division of Polynomials - Example

We need to divide  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x - 1)(x + 2)}$

## Long Division of Polynomials - Example

We need to divide  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x - 1)(x + 2)}$

Before dividing, we should multiply out the bottom to get:

## Long Division of Polynomials - Example

We need to divide  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x - 1)(x + 2)}$

Before dividing, we should multiply out the bottom to get:

$$(x - 1)(x + 2) =$$

## Long Division of Polynomials - Example

We need to divide  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x - 1)(x + 2)}$

Before dividing, we should multiply out the bottom to get:

$$(x - 1)(x + 2) = x^2$$

## Long Division of Polynomials - Example

We need to divide  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x - 1)(x + 2)}$

Before dividing, we should multiply out the bottom to get:

$$(x - 1)(x + 2) = x^2 + 2x$$

## Long Division of Polynomials - Example

We need to divide  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x - 1)(x + 2)}$

Before dividing, we should multiply out the bottom to get:

$$(x-1)(x+2) = x^2 + 2x - x$$

## Long Division of Polynomials - Example

We need to divide  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x - 1)(x + 2)}$

Before dividing, we should multiply out the bottom to get:

$$(x - \mathbf{1})(x + \mathbf{2}) = x^2 + 2x - x - \mathbf{2}$$



## Long Division of Polynomials - Example

We need to divide  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x - 1)(x + 2)}$

Before dividing, we should multiply out the bottom to get:

$$(x - \mathbf{1})(x + \mathbf{2}) = x^2 + 2x - x - 2$$

## Long Division of Polynomials - Example

We need to divide  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x - 1)(x + 2)}$

Before dividing, we should multiply out the bottom to get:

$$(x - \mathbf{1})(x + \mathbf{2}) = x^2 + \underbrace{2x - x}_x - 2 = x^2 + x - 2$$

## Long Division of Polynomials - Example

We need to divide  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x - 1)(x + 2)}$

Before dividing, we should multiply out the bottom to get:

$$(x - \mathbf{1})(x + \mathbf{2}) = x^2 + \underbrace{2x - x}_x - 2 = x^2 + x - 2$$

Now, it will be easier to compute:  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{x^2 + x - 2}$

## Long Division of Polynomials - Example

We need to divide  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x - 1)(x + 2)}$

Before dividing, we should multiply out the bottom to get:

$$(x - 1)(x + 2) = x^2 + \underbrace{2x - x}_x - 2 = x^2 + x - 2$$

Now, it will be easier to compute:  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{x^2 + x - 2}$

$$x^2 + x - 2 \overline{) x^5 + x^4 - 5x^3 - x^2 + 8x - 4}$$

## Long Division of Polynomials - Example

We need to divide  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x - 1)(x + 2)}$

Before dividing, we should multiply out the bottom to get:

$$(x - \mathbf{1})(x + \mathbf{2}) = x^2 + \underbrace{2x - x}_x - 2 = x^2 + x - 2$$

Now, it will be easier to compute:  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{x^2 + x - 2}$

$$x^2 + x - 2 \overline{) \begin{array}{r} x^5 + x^4 - 5x^3 - x^2 + 8x - 4 \\ \phantom{x^5 + x^4 - 5x^3 - x^2 + 8x - 4} \end{array}}$$

## Long Division of Polynomials - Example

We need to divide  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x-1)(x+2)}$

Before dividing, we should multiply out the bottom to get:

$$(x-1)(x+2) = x^2 + \underbrace{2x - x}_x - 2 = x^2 + x - 2$$

Now, it will be easier to compute:  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{x^2 + x - 2}$

$$\begin{array}{r} x^3 \\ x^2 + x - 2 \overline{) x^5 + x^4 - 5x^3 - x^2 + 8x - 4} \\ \underline{-x^5 - x^4 + 2x^3} \end{array}$$

## Long Division of Polynomials - Example

We need to divide  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x-1)(x+2)}$

Before dividing, we should multiply out the bottom to get:

$$(x-1)(x+2) = x^2 + \underbrace{2x - x}_x - 2 = x^2 + x - 2$$

Now, it will be easier to compute:  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{x^2 + x - 2}$

$$\begin{array}{r} x^3 \\ x^2 + x - 2 \overline{) x^5 + x^4 - 5x^3 - x^2 + 8x - 4} \\ \underline{-x^5 - x^4 + 2x^3} \phantom{-x^2 + 8x - 4} \\ -3x^3 - x^2 + 8x \phantom{-4} \end{array}$$

## Long Division of Polynomials - Example

We need to divide  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x-1)(x+2)}$

Before dividing, we should multiply out the bottom to get:

$$(x-1)(x+2) = x^2 + \underbrace{2x - x}_x - 2 = x^2 + x - 2$$

Now, it will be easier to compute:  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{x^2 + x - 2}$

$$\begin{array}{r} x^3 \qquad - 3x \\ x^2 + x - 2 \overline{) x^5 + x^4 - 5x^3 - x^2 + 8x - 4} \\ \underline{-x^5 - x^4 + 2x^3} \phantom{- 4} \\ -3x^3 - x^2 + 8x - 4 \end{array}$$



## Long Division of Polynomials - Example

We need to divide  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x-1)(x+2)}$

Before dividing, we should multiply out the bottom to get:

$$(x-1)(x+2) = x^2 + \underbrace{2x - x}_x - 2 = x^2 + x - 2$$

Now, it will be easier to compute:  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{x^2 + x - 2}$

$$\begin{array}{r} x^3 \qquad - 3x \\ x^2 + x - 2 \overline{) x^5 + x^4 - 5x^3 - x^2 + 8x - 4} \\ \underline{-x^5 - x^4 + 2x^3} \phantom{- 4} \\ \phantom{x^5 +} -3x^3 - x^2 + 8x \phantom{- 4} \\ \underline{\phantom{-3}3x^3 + 3x^2 - 6x} \phantom{- 4} \\ \phantom{-3x^3 +} 3x^2 - 6x - 4 \end{array}$$

## Long Division of Polynomials - Example

We need to divide  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x-1)(x+2)}$

Before dividing, we should multiply out the bottom to get:

$$(x-1)(x+2) = x^2 + \underbrace{2x - x}_x - 2 = x^2 + x - 2$$

Now, it will be easier to compute:  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{x^2 + x - 2}$

$$\begin{array}{r} x^3 \qquad - 3x \\ x^2 + x - 2 \overline{) x^5 + x^4 - 5x^3 - x^2 + 8x - 4} \\ \underline{-x^5 - x^4 + 2x^3} \phantom{- 4} \\ \phantom{x^2 + x - 2} - 3x^3 - x^2 + 8x \phantom{- 4} \\ \phantom{x^2 + x - 2} \underline{3x^3 + 3x^2 - 6x} \phantom{- 4} \\ \phantom{x^2 + x - 2} \phantom{- 3x^3} 2x^2 + 2x - 4 \end{array}$$

## Long Division of Polynomials - Example

We need to divide  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x-1)(x+2)}$

Before dividing, we should multiply out the bottom to get:

$$(x-1)(x+2) = x^2 + \underbrace{2x - x}_x - 2 = x^2 + x - 2$$

Now, it will be easier to compute:  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{x^2 + x - 2}$

$$\begin{array}{r} x^3 \phantom{- 3x + 2} \\ x^2 + x - 2 \overline{) x^5 + x^4 - 5x^3 - x^2 + 8x - 4} \\ \underline{-x^5 - x^4 + 2x^3} \phantom{- 4} \\ -3x^3 - x^2 + 8x \phantom{- 4} \\ \underline{3x^3 + 3x^2 - 6x} \phantom{- 4} \\ 2x^2 + 2x - 4 \end{array}$$

## Long Division of Polynomials - Example

We need to divide  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x-1)(x+2)}$

Before dividing, we should multiply out the bottom to get:

$$(x-1)(x+2) = x^2 + \underbrace{2x - x}_x - 2 = x^2 + x - 2$$

Now, it will be easier to compute:  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{x^2 + x - 2}$

$$\begin{array}{r} x^3 \phantom{- 3x + 2} \\ \hline x^2 + x - 2 \phantom{) } \quad x^5 + x^4 - 5x^3 - x^2 + 8x - 4 \\ \phantom{x^2 + x - 2) } \quad \underline{-x^5 - x^4 + 2x^3} \phantom{- x^2 + 8x - 4} \\ \phantom{x^2 + x - 2) } \phantom{-x^5 - x^4 + 2x^3} \quad -3x^3 - x^2 + 8x \\ \phantom{x^2 + x - 2) } \phantom{-x^5 - x^4 + 2x^3} \quad \underline{3x^3 + 3x^2 - 6x} \\ \phantom{x^2 + x - 2) } \phantom{-x^5 - x^4 + 2x^3} \phantom{-3x^3 - x^2 + 8x} \quad 2x^2 + 2x - 4 \\ \phantom{x^2 + x - 2) } \phantom{-x^5 - x^4 + 2x^3} \phantom{-3x^3 - x^2 + 8x} \quad \underline{-2x^2 - 2x + 4} \end{array}$$

## Long Division of Polynomials - Example

We need to divide  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x-1)(x+2)}$

Before dividing, we should multiply out the bottom to get:

$$(x-1)(x+2) = x^2 + \underbrace{2x - x}_x - 2 = x^2 + x - 2$$

Now, it will be easier to compute:  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{x^2 + x - 2}$

$$\begin{array}{r} x^3 \phantom{- 3x + 2} \\ x^2 + x - 2 \overline{) x^5 + x^4 - 5x^3 - x^2 + 8x - 4} \\ \underline{-x^5 - x^4 + 2x^3} \phantom{- 3x + 2} \\ \phantom{x^5 +} -3x^3 - x^2 + 8x \phantom{- 4} \\ \phantom{x^5 +} \underline{3x^3 + 3x^2 - 6x} \phantom{- 4} \\ \phantom{x^5 +} \phantom{3x^3 +} 2x^2 + 2x - 4 \\ \phantom{x^5 +} \phantom{3x^3 +} \underline{-2x^2 - 2x + 4} \\ \phantom{x^5 +} \phantom{3x^3 +} \phantom{2x^2 +} 0 \end{array}$$

## Long Division of Polynomials - Example

We need to divide  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x-1)(x+2)}$

Before dividing, we should multiply out the bottom to get:

$$(x-1)(x+2) = x^2 + \underbrace{2x - x}_x - 2 = x^2 + x - 2$$

Now, it will be easier to compute:  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{x^2 + x - 2}$

$$\begin{array}{r} x^3 \phantom{- 3x + 2} \\ x^2 + x - 2 \overline{) x^5 + x^4 - 5x^3 - x^2 + 8x - 4} \\ \underline{-x^5 - x^4 + 2x^3} \phantom{- 3x + 2} \\ \phantom{-} -3x^3 - x^2 + 8x \phantom{- 3x + 2} \\ \phantom{-} \underline{3x^3 + 3x^2 - 6x} \phantom{- 3x + 2} \\ \phantom{-} \phantom{3x^3 +} 2x^2 + 2x - 4 \phantom{- 3x + 2} \\ \phantom{-} \phantom{3x^3 +} \underline{-2x^2 - 2x + 4} \\ \phantom{-} \phantom{3x^3 +} \phantom{2x^2 +} 0 \end{array}$$

## Long Division of Polynomials - Example

We need to divide  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x-1)(x+2)}$

Before dividing, we should multiply out the bottom to get:

$$(x-1)(x+2) = x^2 + \underbrace{2x - x}_x - 2 = x^2 + x - 2$$

Now, it will be easier to compute:  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{x^2 + x - 2}$

$$\begin{array}{r} x^3 \phantom{- 3x + 2} \\ x^2 + x - 2 \overline{) x^5 + x^4 - 5x^3 - x^2 + 8x - 4} \\ \underline{-x^5 - x^4 + 2x^3} \phantom{- 3x + 2} \\ -3x^3 - x^2 + 8x \phantom{- 3x + 2} \\ \underline{3x^3 + 3x^2 - 6x} \phantom{- 3x + 2} \\ 2x^2 + 2x - 4 \phantom{- 3x + 2} \\ \underline{-2x^2 - 2x + 4} \\ 0 \end{array}$$

**Conclusion:**  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x-1)(x+2)} = x^3 - 3x + 2$

## Long Division of Polynomials - Example

We need to divide  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x-1)(x+2)}$

Before dividing, we should multiply out the bottom to get:

$$(x-1)(x+2) = x^2 + \underbrace{2x - x}_x - 2 = x^2 + x - 2$$

Now, it will be easier to compute:  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{x^2 + x - 2}$

$$\begin{array}{r} x^3 \phantom{- 3x + 2} \\ x^2 + x - 2 \overline{) x^5 + x^4 - 5x^3 - x^2 + 8x - 4} \\ \underline{-x^5 - x^4 + 2x^3} \phantom{- 3x + 2} \\ -3x^3 - x^2 + 8x \phantom{- 3x + 2} \\ \underline{3x^3 + 3x^2 - 6x} \phantom{- 3x + 2} \\ 2x^2 + 2x - 4 \phantom{- 3x + 2} \\ \underline{-2x^2 - 2x + 4} \\ 0 \end{array}$$

**Conclusion:**  $\frac{x^5 + x^4 - 5x^3 - x^2 + 8x - 4}{(x-1)(x+2)} = x^3 - 3x + 2$

**Alternatively:**

$$x^5 + x^4 - 5x^3 - x^2 + 8x - 4 = (x-1) \cdot (x+2) \cdot (x^3 - 3x + 2)$$