• We saw that we might come across a value that seems to be a solution, but is not an actual solution.

• We saw that we might come across a value that seems to be a solution, but is not an actual solution.

We didn't make a mistake in our calculations.

• We saw that we might come across a value that seems to be a solution, but is not an actual solution. We didn't make a mistake in our calculations. What happened?

• We saw that we might come across a value that seems to be a solution, but is not an actual solution.

We didn't make a mistake in our calculations.

What happened?

The issue arose when we squared both sides of the equation.

• We saw that we might come across a value that seems to be a solution, but is not an actual solution.

We didn't make a mistake in our calculations.

What happened?

The issue arose when we squared both sides of the equation.

Let's look at a very simple example to explore further.

• We saw that we might come across a value that seems to be a solution, but is not an actual solution.

We didn't make a mistake in our calculations.

What happened?

The issue arose when we squared both sides of the equation.

Let's look at a very simple example to explore further.

The equation x = 1 has one solution, which is x = 1

• We saw that we might come across a value that seems to be a solution, but is not an actual solution.

We didn't make a mistake in our calculations.

What happened?

The issue arose when we squared both sides of the equation. Let's look at a very simple example to explore further.

The equation x = 1 has one solution, which is x = 1If we square both sides of the equation, though, we get:

• We saw that we might come across a value that seems to be a solution, but is not an actual solution.

We didn't make a mistake in our calculations.

What happened?

The issue arose when we squared both sides of the equation. Let's look at a very simple example to explore further.

The equation x = 1 has one solution, which is x = 1If we square both sides of the equation, though, we get: $x^2 = 1^2$

• We saw that we might come across a value that seems to be a solution, but is not an actual solution.

We didn't make a mistake in our calculations.

What happened?

The issue arose when we squared both sides of the equation. Let's look at a very simple example to explore further.

The equation x = 1 has one solution, which is x = 1If we square both sides of the equation, though, we get:

$$\begin{aligned} x^2 &= 1^2 \\ x^2 &= 1 \end{aligned}$$

• We saw that we might come across a value that seems to be a solution, but is not an actual solution.

We didn't make a mistake in our calculations.

What happened?

The issue arose when we squared both sides of the equation. Let's look at a very simple example to explore further.

The equation x = 1 has one solution, which is x = 1If we square both sides of the equation, though, we get:

$$\begin{aligned} x^2 &= 1^2 \\ x^2 &= 1 \end{aligned}$$

Now that we've squared the equation, we have two solutions!

• We saw that we might come across a value that seems to be a solution, but is not an actual solution.

We didn't make a mistake in our calculations.

What happened?

The issue arose when we squared both sides of the equation. Let's look at a very simple example to explore further.

The equation x = 1 has one solution, which is x = 1If we square both sides of the equation, though, we get:

$$\begin{aligned} x^2 &= 1^2 \\ x^2 &= 1 \end{aligned}$$

Now that we've squared the equation, we have two solutions!

• x = 1 (the solution to the original equation).

• We saw that we might come across a value that seems to be a solution, but is not an actual solution.

We didn't make a mistake in our calculations.

What happened?

The issue arose when we squared both sides of the equation. Let's look at a very simple example to explore further.

The equation x = 1 has one solution, which is x = 1If we square both sides of the equation, though, we get:

$$\begin{aligned} x^2 &= 1^2 \\ x^2 &= 1 \end{aligned}$$

Now that we've squared the equation, we have two solutions!

- x = 1 (the solution to the original equation).
- x = -1 (a solution of the squared equation, but not the original)

• We saw that we might come across a value that seems to be a solution, but is not an actual solution.

We didn't make a mistake in our calculations.

What happened?

The issue arose when we squared both sides of the equation. Let's look at a very simple example to explore further.

The equation x = 1 has one solution, which is x = 1If we square both sides of the equation, though, we get:

$$\begin{aligned} x^2 &= 1^2 \\ x^2 &= 1 \end{aligned}$$

Now that we've squared the equation, we have two solutions!

- x = 1 (the solution to the original equation).
- x = -1 (a solution of the squared equation, but not the original)

Conclusion: Whenever we square both sides of an equation, we *must* check our solution(s) in the original equation (before it was squared) to see which values are solutions of the original equation.