We have seen the 4 basic operations to combine numbers

We have seen the 4 basic operations to combine numbers **Addition:** 

We have seen the 4 basic operations to combine numbers **Addition:** 

**Example:** 3 + 4 = 7

We have seen the 4 basic operations to combine numbers **Addition:** 

**Example:** 3 + 4 = 7

Commutative Property of Addition: For any numbers A, B

A + B = B + A

We have seen the 4 basic operations to combine numbers **Addition:** 

**Example:** 3 + 4 = 7

Commutative Property of Addition: For any numbers A, B

A + B = B + A

Associate Property of Addition: For A, B, and C

 $(\mathbf{A} + \mathbf{B}) + \mathbf{C} = \mathbf{A} + (\mathbf{B} + \mathbf{C})$ 

We have seen the 4 basic operations to combine numbers **Addition:** 

**Example:** 3 + 4 = 7

Commutative Property of Addition: For any numbers A, B

A + B = B + A

Associate Property of Addition: For A, B, and C

 $(\mathbf{A} + \mathbf{B}) + \mathbf{C} = \mathbf{A} + (\mathbf{B} + \mathbf{C})$ 

0 is the Additive Identity: For any number A

 $\boldsymbol{A} + \boldsymbol{0} = \boldsymbol{A} = \boldsymbol{0} + \boldsymbol{A}$ 

We have seen the 4 basic operations to combine numbers **Addition:** 

**Example:** 3 + 4 = 7

Commutative Property of Addition: For any numbers A, B

A + B = B + A

Associate Property of Addition: For A, B, and C

 $(\mathbf{A} + \mathbf{B}) + \mathbf{C} = \mathbf{A} + (\mathbf{B} + \mathbf{C})$ 

0 is the Additive Identity: For any number A

A + 0 = A = 0 + A

Subtraction:

We have seen the 4 basic operations to combine numbers **Addition:** 

**Example:** 3 + 4 = 7

Commutative Property of Addition: For any numbers A, B

A + B = B + A

Associate Property of Addition: For A, B, and C

 $(\mathbf{A} + \mathbf{B}) + \mathbf{C} = \mathbf{A} + (\mathbf{B} + \mathbf{C})$ 

0 is the Additive Identity: For any number A

A + 0 = A = 0 + A

Subtraction:

**Example:** 7 - 4 = 3

We have seen the 4 basic operations to combine numbers **Addition:** 

**Example:** 3 + 4 = 7

Commutative Property of Addition: For any numbers A, B

A + B = B + A

Associate Property of Addition: For A, B, and C

 $(\mathbf{A} + \mathbf{B}) + \mathbf{C} = \mathbf{A} + (\mathbf{B} + \mathbf{C})$ 

0 is the Additive Identity: For any number A

A + 0 = A = 0 + A

#### Subtraction:

**Example:** 7 - 4 = 3

We can understand Subtraction as Addition of negatives **Example:** 7 - 4 = 7 + (-4) = 3

We have seen the 4 basic operations to combine numbers **Addition:** 

**Example:** 3 + 4 = 7

Commutative Property of Addition: For any numbers A, B

A + B = B + A

Associate Property of Addition: For A, B, and C

 $(\mathbf{A} + \mathbf{B}) + \mathbf{C} = \mathbf{A} + (\mathbf{B} + \mathbf{C})$ 

0 is the Additive Identity: For any number A

A + 0 = A = 0 + A

#### Subtraction:

**Example:** 7 - 4 = 3

We can understand Subtraction as Addition of negatives

**Example:** 
$$7 - 4 = 7 + (-4) = 3$$

This allows us to use all the properties of Addition, which we don't have for Subtraction

We have seen the 4 basic operations to combine numbers Addition Subtraction

We have seen the 4 basic operations to combine numbers Addition Subtraction Multiplication:

We have seen the 4 basic operations to combine numbers Addition Subtraction Multiplication:

**Example:**  $4 \cdot 3 = 12$ 

We have seen the 4 basic operations to combine numbers Addition Subtraction Multiplication: Example:  $4 \cdot 3 = 12$ Commutative Property of Multiplication: For any *A*, *B*  $A \cdot B = B \cdot A$ 

We have seen the 4 basic operations to combine numbers Addition Subtraction Multiplication: Example:  $4 \cdot 3 = 12$ Commutative Property of Multiplication: For any *A*, *B*   $A \cdot B = B \cdot A$ Associative Property of Multiplication: For *A*, *B*, and *C*  $(A \cdot B) \cdot C = A \cdot (B \cdot C)$ 

We have seen the 4 basic operations to combine numbers Addition Subtraction Multiplication: Example:  $4 \cdot 3 = 12$ Commutative Property of Multiplication: For any *A*, *B*   $A \cdot B = B \cdot A$ Associative Property of Multiplication: For *A*, *B*, and *C*   $(A \cdot B) \cdot C = A \cdot (B \cdot C)$ 1 is the Multiplicative Identity: For any number *A*  $A \cdot 1 = A = 1 \cdot A$ 

We have seen the 4 basic operations to combine numbers Addition Subtraction Multiplication: **Example:**  $4 \cdot 3 = 12$ **Commutative Property of Multiplication:** For any A, B  $A \cdot B = B \cdot A$ Associative Property of Multiplication: For A, B, and C  $(A \cdot B) \cdot C = A \cdot (B \cdot C)$ 1 is the Multiplicative Identity: For any number A  $A \cdot 1 = A = 1 \cdot A$ Division:

We have seen the 4 basic operations to combine numbers Addition Subtraction Multiplication: **Example:**  $4 \cdot 3 = 12$ **Commutative Property of Multiplication:** For any A, B  $A \cdot B = B \cdot A$ Associative Property of Multiplication: For A, B, and C  $(A \cdot B) \cdot C = A \cdot (B \cdot C)$ 1 is the Multiplicative Identity: For any number A  $A \cdot 1 = A = 1 \cdot A$ Division:

**Example:**  $12 \div 4 = 3$ 

We have seen the 4 basic operations to combine numbers Addition Subtraction Multiplication: **Example:**  $4 \cdot 3 = 12$ **Commutative Property of Multiplication:** For any A, B  $A \cdot B = B \cdot A$ Associative Property of Multiplication: For A, B, and C  $(A \cdot B) \cdot C = A \cdot (B \cdot C)$ 1 is the Multiplicative Identity: For any number A  $A \cdot 1 = A = 1 \cdot A$ Division: **Example:**  $12 \div 4 = 3$ 

We can understand Division as Multiplication of reciprocals

We have seen the 4 basic operations to combine numbers Addition Subtraction Multiplication: **Example:**  $4 \cdot 3 = 12$ **Commutative Property of Multiplication:** For any A, B  $A \cdot B = B \cdot A$ Associative Property of Multiplication: For A, B, and C  $(A \cdot B) \cdot C = A \cdot (B \cdot C)$ 1 is the Multiplicative Identity: For any number A  $A \cdot 1 = A = 1 \cdot A$ Division: **Example:**  $12 \div 4 = 3$ We can understand Division as Multiplication of reciprocals **Example:**  $12 \div 4 = 12 \cdot \frac{1}{4} = 3$ 

We have seen the 4 basic operations to combine numbers Addition Subtraction Multiplication: **Example:**  $4 \cdot 3 = 12$ **Commutative Property of Multiplication:** For any A, B  $A \cdot B = B \cdot A$ Associative Property of Multiplication: For A, B, and C  $(A \cdot B) \cdot C = A \cdot (B \cdot C)$ 1 is the Multiplicative Identity: For any number A  $A \cdot 1 = A = 1 \cdot A$ Division: **Example:**  $12 \div 4 = 3$ We can understand Division as Multiplication of reciprocals **Example:**  $12 \div 4 = 12 \cdot \frac{1}{4} = 3$ In general, we can change division into multiplication by the

reciprocal which allows us to use all the properties of Multiplication, which we don't have for Division

We have seen the 4 basic operations to combine numbers Addition Subtraction Multiplication: **Example:**  $4 \cdot 3 = 12$ **Commutative Property of Multiplication:** For any A, B  $A \cdot B = B \cdot A$ Associative Property of Multiplication: For A, B, and C  $(A \cdot B) \cdot C = A \cdot (B \cdot C)$ 1 is the Multiplicative Identity: For any number A  $A \cdot 1 = A = 1 \cdot A$ Division: **Example:**  $12 \div 4 = 3$ We can understand Division as Multiplication of reciprocals **Example:**  $12 \div 4 = 12 \cdot \frac{1}{4} = 3$ In general, we can change division into multiplication by the reciprocal which allows us to use all the properties of Multiplication, which we don't have for Division **Example:**  $24 \div \frac{3}{5} = 24 \cdot \frac{5}{3} = 40$