

Definition of Zeroes (Roots)

Definition of Zeroes (Roots)

We saw in [▶ Example 3](#) that in order to use the [▶ Zero-Product Property](#) to solve a quadratic equation, 0 needed to be on one side of the equation.

Definition of Zeroes (Roots)

We saw in [▶ Example 3](#) that in order to use the [▶ Zero-Product Property](#) to solve a quadratic equation, 0 needed to be on one side of the equation.

Not only with quadratics, but many other functions we will learn, equations are easier to solve if we have 0 on one side.

Definition of Zeroes (Roots)

We saw in [▶ Example 3](#) that in order to use the [▶ Zero-Product Property](#) to solve a quadratic equation, 0 needed to be on one side of the equation.

Not only with quadratics, but many other functions we will learn, equations are easier to solve if we have 0 on one side.

Because of this, solutions to equations with 0 on one side get a special name:

Definition of Zeroes (Roots)

We saw in [▶ Example 3](#) that in order to use the [▶ Zero-Product Property](#) to solve a quadratic equation, 0 needed to be on one side of the equation.

Not only with quadratics, but many other functions we will learn, equations are easier to solve if we have 0 on one side.

Because of this, solutions to equations with 0 on one side get a special name:

Definition: If $x = c$ is a solution to an equation of the form: $f(x) = 0$ then we call c a *zero of the function $f(x)$*

Definition of Zeroes (Roots)

We saw in [▶ Example 3](#) that in order to use the [▶ Zero-Product Property](#) to solve a quadratic equation, 0 needed to be on one side of the equation.

Not only with quadratics, but many other functions we will learn, equations are easier to solve if we have 0 on one side.

Because of this, solutions to equations with 0 on one side get a special name:

Definition: If $x = c$ is a solution to an equation of the form: $f(x) = 0$ then we call c a *zero of the function $f(x)$*

In other words, if $f(c) = 0$ then c is a *zero of the function $f(x)$*

Definition of Zeroes (Roots)

We saw in [▶ Example 3](#) that in order to use the [▶ Zero-Product Property](#) to solve a quadratic equation, 0 needed to be on one side of the equation.

Not only with quadratics, but many other functions we will learn, equations are easier to solve if we have 0 on one side.

Because of this, solutions to equations with 0 on one side get a special name:

Definition: If $x = c$ is a solution to an equation of the form: $f(x) = 0$ then we call c a *zero of the function $f(x)$*

In other words, if $f(c) = 0$ then c is a *zero of the function $f(x)$*

Note: zeroes are also commonly referred to as *roots*

Definition of Zeroes (Roots)

We saw in [▶ Example 3](#) that in order to use the [▶ Zero-Product Property](#) to solve a quadratic equation, 0 needed to be on one side of the equation.

Not only with quadratics, but many other functions we will learn, equations are easier to solve if we have 0 on one side.

Because of this, solutions to equations with 0 on one side get a special name:

Definition: If $x = c$ is a solution to an equation of the form: $f(x) = 0$ then we call c a *zero of the function $f(x)$*

In other words, if $f(c) = 0$ then c is a *zero of the function $f(x)$*

Note: zeroes are also commonly referred to as *roots*

We will use the words *zero* and *root* interchangeably.