

Introduction to Solving Quadratics without Factoring

Introduction to Solving Quadratics without Factoring

► We saw that our method of factoring quadratics does not always work.

Introduction to Solving Quadratics without Factoring

► We saw that our method of factoring quadratics does not always work. We will build up a new way to solve quadratics which can find the solution(s) for any quadratics.

Introduction to Solving Quadratics without Factoring

► We saw that our method of factoring quadratics does not always work.

We will build up a new way to solve quadratics which can find the solution(s) for any quadratics.

Example: Find the solutions to:

$$x^2 = 4$$

Introduction to Solving Quadratics without Factoring

► We saw that our method of factoring quadratics does not always work.

We will build up a new way to solve quadratics which can find the solution(s) for any quadratics.

Example: Find the solutions to:

$$x^2 = 4$$

How do we "undo" squaring?

Introduction to Solving Quadratics without Factoring

► We saw that our method of factoring quadratics does not always work.

We will build up a new way to solve quadratics which can find the solution(s) for any quadratics.

Example: Find the solutions to:

$$x^2 = 4$$

How do we "undo" squaring?

We take the square root!

Introduction to Solving Quadratics without Factoring

► We saw that our method of factoring quadratics does not always work.

We will build up a new way to solve quadratics which can find the solution(s) for any quadratics.

Example: Find the solutions to:

$$x^2 = 4$$

How do we "undo" squaring?

We take the square root!

Taking the square root of both sides, gives:

Introduction to Solving Quadratics without Factoring

► We saw that our method of factoring quadratics does not always work.

We will build up a new way to solve quadratics which can find the solution(s) for any quadratics.

Example: Find the solutions to:

$$x^2 = 4$$

How do we "undo" squaring?

We take the square root!

Taking the square root of both sides, gives:

$$\sqrt{x^2} = \sqrt{4}$$

Introduction to Solving Quadratics without Factoring

► We saw that our method of factoring quadratics does not always work.

We will build up a new way to solve quadratics which can find the solution(s) for any quadratics.

Example: Find the solutions to:

$$x^2 = 4$$

How do we "undo" squaring?

We take the square root!

Taking the square root of both sides, gives:

$$\sqrt{x^2} = \sqrt{4} = 2$$

Introduction to Solving Quadratics without Factoring

► We saw that our method of factoring quadratics does not always work.

We will build up a new way to solve quadratics which can find the solution(s) for any quadratics.

Example: Find the solutions to:

$$x^2 = 4$$

How do we "undo" squaring?

We take the square root!

Taking the square root of both sides, gives:

$$? = \sqrt{x^2} = \sqrt{4} = 2$$

Introduction to Solving Quadratics without Factoring

► We saw that our method of factoring quadratics does not always work.

We will build up a new way to solve quadratics which can find the solution(s) for any quadratics.

Example: Find the solutions to:

$$x^2 = 4$$

How do we "undo" squaring?

We take the square root!

Taking the square root of both sides, gives:

$$? = \sqrt{x^2} = \sqrt{4} = 2$$

Our first instinct is that $\sqrt{x^2} = x$

Introduction to Solving Quadratics without Factoring

► We saw that our method of factoring quadratics does not always work.

We will build up a new way to solve quadratics which can find the solution(s) for any quadratics.

Example: Find the solutions to:

$$x^2 = 4$$

How do we "undo" squaring?

We take the square root!

Taking the square root of both sides, gives:

$$? = \sqrt{x^2} = \sqrt{4} = 2$$

Our first instinct is that $\sqrt{x^2} = x$

But this is not always true.

Introduction to Solving Quadratics without Factoring

▶ We saw that our method of factoring quadratics does not always work.

We will build up a new way to solve quadratics which can find the solution(s) for any quadratics.

Example: Find the solutions to:

$$x^2 = 4$$

How do we "undo" squaring?

We take the square root!

Taking the square root of both sides, gives:

$$? = \sqrt{x^2} = \sqrt{4} = 2$$

Our first instinct is that $\sqrt{x^2} = x$

But this is not always true.

▶ Click Here To see what $\sqrt{x^2}$ actually is.

Introduction to Solving Quadratics without Factoring

► We saw that our method of factoring quadratics does not always work.

We will build up a new way to solve quadratics which can find the solution(s) for any quadratics.

Example: Find the solutions to:

$$x^2 = 4$$

How do we "undo" squaring?

We take the square root!

Taking the square root of both sides, gives:

$$|x| = \sqrt{x^2} = \sqrt{4} = 2$$

Our first instinct is that $\sqrt{x^2} = x$

But this is not always true.

► Click Here To see what $\sqrt{x^2}$ actually is.

Introduction to Solving Quadratics without Factoring

▶ We saw that our method of factoring quadratics does not always work. We will build up a new way to solve quadratics which can find the solution(s) for any quadratics.

Example: Find the solutions to:

$$x^2 = 4$$

How do we "undo" squaring?

We take the square root!

Taking the square root of both sides, gives:

$$|x| = \sqrt{x^2} = \sqrt{4} = 2$$

Our first instinct is that $\sqrt{x^2} = x$

But this is not always true.

▶ Click Here To see what $\sqrt{x^2}$ actually is.

Since $|x| = 2$ we get that $x = 2$ OR $x = -2$

Introduction to Solving Quadratics without Factoring

▶ We saw that our method of factoring quadratics does not always work. We will build up a new way to solve quadratics which can find the solution(s) for any quadratics.

Example: Find the solutions to:

$$x^2 = 4$$

How do we "undo" squaring?

We take the square root!

Taking the square root of both sides, gives:

$$|x| = \sqrt{x^2} = \sqrt{4} = 2$$

Our first instinct is that $\sqrt{x^2} = x$

But this is not always true.

▶ Click Here To see what $\sqrt{x^2}$ actually is.

Since $|x| = 2$ we get that $x = 2$ OR $x = -2$

Conclusion: The solutions to $x^2 = 4$ are: $x = 2, -2$