# A Special Case of Adding Complex Numbers

# A Special Case of Adding Complex Numbers

that when we Add or Subtract two complex numbers of the form $a + b$i we get back another complex number.

# A Special Case of Adding Complex Numbers

▸ We saw that when we Add or Subtract two complex numbers of the form $a + b$i we get back another complex number.

Let's now look at a special case of this.

# A Special Case of Adding Complex Numbers

▸ We saw that when we Add or Subtract two complex numbers of the form $a + b$i we get back another complex number.

Let's now look at a special case of this.

**Example:** $(1 + 2\text{i}) + (1 - 2\text{i})$

# A Special Case of Adding Complex Numbers

▸ We saw that when we Add or Subtract two complex numbers of the form $a + b$i we get back another complex number.

Let's now look at a special case of this.

**Example:** $(1 + 2$i$) + (1 - 2$i$) = 1 + 1 + 2$i$ - 2$i

# A Special Case of Adding Complex Numbers

▸ We saw  that when we Add or Subtract two complex numbers of the form $a + b$i we get back another complex number.

Let's now look at a special case of this.

**Example:** $(1 + 2$i$) + (1 - 2$i$) = \underbrace{1 + 1}_{2} + \underbrace{2$i$ - 2$i$}_{0$i$}$

# A Special Case of Adding Complex Numbers

▸ We saw that when we Add or Subtract two complex numbers of the form $a + b$i we get back another complex number.

Let's now look at a special case of this.

**Example:** $(1 + 2$i$) + (1 - 2$i$) = \underbrace{1 + 1}_{2} + \underbrace{2$i$ - 2$i$}_{0$i$} = 2 + 0$i

# A Special Case of Adding Complex Numbers

▸ We saw that when we Add or Subtract two complex numbers of the form $a + b$i we get back another complex number.

Let's now look at a special case of this.

**Example:** $(1 + 2$i$) + (1 - 2$i$) = \underbrace{1 + 1}_{2} + \underbrace{2$i$ - 2$i$}_{0$i$} = 2 + 0$i$ = 2$

# A Special Case of Adding Complex Numbers

▸ We saw that when we Add or Subtract two complex numbers of the form $a + b$i we get back another complex number.

Let's now look at a special case of this.

**Example:** $(1 + 2i) + (1 - 2i) = \underbrace{1 + 1}_{2} + \underbrace{2i - 2i}_{0i} = 2 + 0i = 2$

Here we added two Complex Numbers and got back a Real Number!

# A Special Case of Adding Complex Numbers

that when we Add or Subtract two complex numbers of the form $a + b$i we get back another complex number.

Let's now look at a special case of this.

**Example:** $(1 + 2\text{i}) + (1 - 2\text{i}) = \underbrace{1 + 1}_{2} + \underbrace{2\text{i} - 2\text{i}}_{0\text{i}} = 2 + 0\text{i} = 2$

Here we added two Complex Numbers and got back a Real Number!

This is because the two Complex Numbers we added together were similar

# A Special Case of Adding Complex Numbers

▸ We saw that when we Add or Subtract two complex numbers of the form $a + b$i we get back another complex number.

Let's now look at a special case of this.

**Example:** $(1 + 2$i$) + (1 - 2$i$) = \underbrace{1 + 1}_{2} + \underbrace{2$i$ - 2$i$}_{0$i$} = 2 + 0$i$ = 2$

Here we added two Complex Numbers and got back a Real Number!

This is because the two Complex Numbers we added together were similar

The two numbers had the Real parts and opposite Imaginary parts

# A Special Case of Adding Complex Numbers

<span>▶ We saw</span> that when we Add or Subtract two complex numbers of the form $a + b$i we get back another complex number.

Let's now look at a special case of this.

**Example:** $(1 + 2$i$) + (1 - 2$i$) = \underbrace{1 + 1}_{2} + \underbrace{2$i$-2$i$}_{0$i$} = 2 + 0$i$ = 2$

Here we added two Complex Numbers and got back a Real Number!

This is because the two Complex Numbers we added together were similar

The two numbers had the Real parts and opposite Imaginary parts

We call two Complex Numbers with this special relationship *conjugates*

# A Special Case of Adding Complex Numbers

▸ We saw that when we Add or Subtract two complex numbers of the form $a + b$i we get back another complex number.

Let's now look at a special case of this.

**Example:** $(1 + 2\text{i}) + (1 - 2\text{i}) = \underbrace{1 + 1}_{2} + \underbrace{2\text{i} - 2\text{i}}_{0\text{i}} = 2 + 0\text{i} = 2$

Here we added two Complex Numbers and got back a Real Number!

This is because the two Complex Numbers we added together were similar

The two numbers had the Real parts and opposite Imaginary parts

We call two Complex Numbers with this special relationship *conjugates*

In general, the *conjugate* of $a + b$i is $a - b$i

# A Special Case of Adding Complex Numbers

▸ We saw that when we Add or Subtract two complex numbers of the form $a + b$i we get back another complex number.

Let's now look at a special case of this.

**Example:** $(1 + 2\text{i}) + (1 - 2\text{i}) = \underbrace{1 + 1}_{2} + \underbrace{2\text{i} - 2\text{i}}_{0\text{i}} = 2 + 0\text{i} = 2$

Here we added two Complex Numbers and got back a Real Number!

This is because the two Complex Numbers we added together were similar

The two numbers had the Real parts and opposite Imaginary parts

We call two Complex Numbers with this special relationship *conjugates*

In general, the *conjugate* of $a + b$i is $a - b$i

$(a + b\text{i}) + (a - b\text{i}) = 2a$